



ROSALIE RUFFINO - SPRAGUE ENERGY

(V-03-1791)

ANALYTICAL REPORT NO: 440758/ P41303153

SHORE TANK # 3 (AFTER DISCHARGE T/B B 95) SPRAGUE ENERGY, BUCKSPORT, ME # 6 FUEL OIL ON NOVEMBER 28, 2003 50/0

TESTS	<u>METHODS</u>	<u>RESULTS</u>
GRAVITY, API @ 60 DEG F. FLASH POINT, F SEDIMENT & WATER, VOL. % SEDIMENT BY EXTRACTION, WT. % VISCOSITY, @ 122 F, SFS/CST POUR POINT, C SULFUR, WT. % ASH, WT. % GROSS BTU, LB. / GAL. NITROGEN, WT. % ASPHALTENES, WT. % CONRADSON CARBON RES. WT. % WATER BY DISTILLATION, VOL. % SODIUM, PPM WT. VANADIUM, PPM WT.	ASTM D 4052 ASTM D 93 ASTM D 1796 ASTM D 473 ASTM D 445 ASTM D 97 ASTM D 4294 ASTM D 482 CALCULATED ASTM D 5762 IP 143 ASTM D 189 ASTM D 95 ASTM D 5863 ASTM D 5863	16.6 192 0.30 0.03 118.1/249.9 +15 0.487 0.014 18,849/149,981 0.35 1.6 8.1 0.2 16

SPRAGUE PROVIDES THE ATTACHED INSPECTION REPORT/ANALYSIS
REPRESENTING THE SPECIFICATIONS OF THE PRODUCT AT THE SPRAGUE
TERMINAL IN TANK ON THE DATE OF INSPECTION NOTED ON THE CERTIFICATE.
THIS ANALYSIS IS PROVIDED TO THE CUSTOMER FOR THE PURPOSE OF
ESTABLISHING THE INDEPENDENTLY VERIFIED PRODUCT SPECIFICATION ON
A COMPOSITE BASIS IN SPRAGUE'S TERMINAL SHORE TANK AS NOTED ON THE
CERTIFICATE. THE INSPECTION REPORT IS NOT TO BE USED FOR ANY OTHER
SGS OIL, GAS & CHEMICALS
PURPOSE. SPRAGUE DISCLAIMS ANY LIABILITY FOR THE PRODUCT AFTER DELIVISIOSTON - DECEMBER 2, 2003
BY SPRAGUE TO CUSTOMER. SPRAGUE DISCLAIMS ANY WARRANTY OF
MERCHANTABILITY OR FITNESS FOR AN INTENDED USE EXCEPT AS MAY BE SPECIFICALLY
SET FORTH IN WRITING IN ANY CONTRACT OR TERMS OF SALE BETWEEN SPRAGUE
AND A BUYER OF PRODUCT. SPRAGUE ASSUMES NO LIABILITY FOR CLAIMS OR LOSSES
THAT MAY ARISE FROM CUSTOMERS USE OF THIS INSPECTION REPORT/ANALYSE FFREY L. SEELEY

SGS North America Inc.

Oil, Gas & Chemical Servives Division, 324 Marginal Street, Chelsea, MA 02150

t (617) 889-0773 f (617) 889-3029 www.sgs.com

Member of the SGS Group (Société Générale de Surveillance)

Approved, 7/16/02 S.Mitchell